

Programmable DI Water Dispenser

Features & Benefits

- ◆ Compatible with existing water systems
- ◆ Safe, low-voltage 12VDC power supply
- ◆ Volumes from 0.1-Liters to 100-Liters
- ◆ Easy to install press-in tube fittings
- ◆ Easy to use three button key pad
- ◆ Adjustable dispensing arm
- ◆ 0.2-Micron final filter
- ◆ USB to PC interface
- ◆ Manual "Top-off"
- ◆ Volume repeat
- ◆ 1 year warranty

Product Availability

AQUA SOLUTIONS Programmable Dispenser delivers a measured volume of liquid at the press of a button. The operator selects a volume and simply presses a button to deliver the required amount.

The volume is easy to select and is retained in non-volatile memory for repeat operation. Volumes between 0.1 liters and 100 liters can be selected in increments of 0.01 liters. The Dispenser will accurately measure volumes over a flow rate range of 0.6 Liters/minute to 5 Liters/minute.

The controls consist of a three-button keypad and a liquid crystal display. The display shows the selected volume and progress during dispensing. A number of additional features are available through the keypad, including pause and restart during dispensing, cancelling dispensing, and a manual "top-off" control. An audio beep option is provided to indicate when dispensing has finished. Another audio option will produce beeps if the flow rate is outside the limits for accurate volume measurement.



A USB communication interface is included for connection to a PC. All keypad controls can be performed by a computer, with progress and status information passed back to the computer for display.


The Dispenser is powered by a low-voltage 12VDC power supply, making it safe to use in wet environments.

Model.....2700PRD
 Enclosure Dimensions.....7" x 5" x 3" (178mm x 127mm x 76mm)
 Dispensing Arm.....5.5" (140mm) Dia. Base - Up to 29" (737mm) Tall
 Fluid Connections.....1/4", 5/16", or 8mm tube fitting

Brochure Number: 2700-PRD

AQUA SOLUTIONS, INC.
www.AquaA.com

Available in Canada from...



1-888-593-5969 • www.biolynx.ca • tech@biolynx.ca

